

water inspiration.



SCHEDA TECNICA/TECHNICAL DATA	ACQUABLU CLASSIC	ACQUABLU TOP	ACQUABLU ULTRALIGHT	ACQUABLU CLASSIC HOT
POMPA ACQUA WATER PUMP POMPE POUR L'EAU WASSER PUMPE	NO	MEMBRANA/MEMBRANE	NO	NO
SISTEMA DI GASATURA CARBONATION SYSTEM SYSTEME DE GASIFICATION SYSTEM MIT KARBONATOR	/	SATURATORE CARBONATOR CARBONATEUR KARBONATOR	MISCELAZIONE Istantanea INSTANT MIX MELANGE IMMEDIAT INSTANT MIX	/
CAPACITA' ACQUA FREDDA/GAS COLD AND SPARKLING WATER CAPACITY DEBIT EAU FROIDE / PETILLANTE KAPAZITAET DES KALTES/CO2 WASSER	16 LT/H	16 LT/H	16 LT/H	16 LT/H
PRODUZIONE ACQUA FREDDA COLD WATER TECHNOLOGY TECHNOLOGIE POUR L'EAU FROIDE KALTES WASSER TECHNOLOGIE	SCAMBIO RAPIDO SERPENTINA RAPID EXCHANGE WITH SERPENTINE CHANGE RAPID AVEC SERPENTINE SPIRALKUEHLER	SCAMBIO RAPIDO SERPENTINA RAPID EXCHANGE WITH SERPENTINE CHANGE RAPID AVEC SERPENTINE SPIRAL KUEHLER	SCAMBIO RAPIDO SERPENTINA RAPID EXCHANGE WITH SERPENTINE CHANGE RAPID AVEC SERPENTINE SPIRAL KUEHLER	SCAMBIO RAPIDO SERPENTINA RAPID EXCHANGE WITH SERPENTINE CHANGE RAPID AVEC SERPENTINE SPIRAL KUEHLER
PESO NETTO NET WEIGHT POIDS NET NETTO GEWICHT	19,3 KG	22,1 KG	19,3 KG	23,3 KG
DIMENSIONI EROGATORE WATER DISPENSER DIMENSIONS DIMENSIONS DE LA FONTAINE WASSERSPENDER DIMENSIONEN	280X470X420h	280X470X420h	280X470X420h	280X470X420h

SCHEDA TECNICA/TECHNICAL DATA	KSK CLASSIC	KSK ULTRALIGHT	KSK TOP	COFFEE & WATER
POMPA ACQUA WATER PUMP POMPE POUR L'EAU WASSER PUMPE	NO	NO	POMPA A VIBRAZIONE VIBRATION PUMP POMPE A VIBRATION VIBRATION PUMPE	ROTARY
SISTEMA DI GASATURA CARBONATION SYSTEM SYSTEME DE GASIFICATION SYSTEM MIT KARBONATOR	/	MISCELAZIONE Istantanea INSTANT MIX MELANGE IMMEDIAT INSTANT MIX	SATURATORE CARBONATOR CARBONATEUR KARBONATOR	SATURATORE CARBONATOR CARBONATEUR KARBONATOR
CAPACITA' ACQUA FREDDA/GAS COLD AND SPARKLING WATER CAPACITY DEBIT EAU FROIDE / PETILLANTE KAPAZITAET DES KALTES/CO2 WASSER	10 LT/H	10 LT/H	10 LT/H	16 LT/H
PRODUZIONE ACQUA FREDDA COLD WATER TECHNOLOGY TECHNOLOGIE POUR L'EAU FROIDE KALTES WASSER TECHNOLOGIE	ACCUMULO CON ARGENTO* TANK WITH SILVER* RESERVOIR AVEC ARGENT* TANK MIT SILBER*	ACCUMULO CON ARGENTO* TANK WITH SILVER* RESERVOIR AVEC ARGENT* TANK MIT SILBER*	/	SCAMBIO RAPIDO SERPENTINA RAPID EXCHANGE WITH SERPENTINE CHANGE RAPID AVEC SERPENTINE SPIRAL KUEHLER
PESO NETTO NET WEIGHT POIDS NET NETTO GEWICHT	14KG	14KG	14KG	27KG
DIMENSIONI EROGATORE WATER DISPENSER DIMENSIONS DIMENSIONS DE LA FONTAINE WASSERSPENDER DIMENSIONEN	265x365x420h	265x365x420h	265x365x420h	280X470X420h

***OPTIONAL**

Per una costante ricerca d'innovazione e qualità tecnologica, Kosmologik Industries si riserva la facoltà di apportare modifiche ai propri prodotti senza preavviso.
As a result of a constant research for innovation and technological quality, Kosmologik Industries reserves the right to make modifications to its products without prior warning.

ACQUABLU TOP HOT	ACQUABLU EASY	MINIK CLASSIC	MINIK ULTRALIGHT	ELEKTRO KK
MEMBRANA/MEMBRANE	NO	NO	NO	NO
SATURATORE CARBONATOR CARBONATEUR KARBONATOR	/	/	MISCELAZIONE Istantanea INSTANT MIX MELANGE IMMEDIAT INSTANT MIX	/
16 LT/H	16 LT/H	10 LT/H	10 LT/H	10 LT/H
SCAMBIO RAPIDO SERPENTINA RAPID EXCHANGE WITH SERPENTINE CHANGE RAPID AVEC SERPENTINE SPIRAL KUEHLER	ACCUMULO CON ARGENTO* TANK WITH SILVER* RESERVOIR AVEC ARGENT* TANK MIT SILBER*	ACCUMULO CON ARGENTO* TANK WITH SILVER* RESERVOIR AVEC ARGENT* TANK MIT SILBER*	ACCUMULO CON ARGENTO* TANK WITH SILVER* RESERVOIR AVEC ARGENT* TANK MIT SILBER*	ACCUMULO CON ARGENTO* TANK WITH SILVER* RESERVOIR AVEC ARGENT* TANK MIT SILBER*
26,1 KG	17 KG	14KG	14 KG	14 KG
280X470X420h	280X470X420h	305x430x250h	305x430x250h	200X450X340h

TOP SOTTOLAVELLO/UNDER THE COUNTER	CLASSIC SOTTOLAVELLO/UNDER THE COUNTER	ICE 80 / PROFESSIONAL	RB80 / PROFESSIONAL	KINDERWATER
MEMBRANA/MEMBRANE	NO	ROTATIVA/ROTARY	ROTATIVA/ROTARY	NO
SATURATORE CARBONATOR CARBONATEUR KARBONATOR	/	SATURATORE CARBONATOR CARBONATEUR KARBONATOR	SATURATORE CARBONATOR CARBONATEUR KARBONATOR	/
16 LT/H	16 LT/H	80 LT/H	80 LT/H	/
SCAMBIO RAPIDO SERPENTINA RAPID EXCHANGE WITH SERPENTINE CHANGE RAPID AVEC SERPENTINE SPIRAL KUEHLER	SCAMBIO RAPIDO SERPENTINA RAPID EXCHANGE WITH SERPENTINE CHANGE RAPID AVEC SERPENTINE SPIRAL KUEHLER	BANCO DI GHIACCIO ICE BANK BAQ DE GLACE ICE BLOCK	FUSIONE DI ALLUMINIO ALUMINIUM BLOCK BLOQUE D'ALLUMINIUM ALUMINIUM BLOCK	/
22,1KG	19,3KG	40 KG	50 KG	4,5 KG
280x460x420h	280x460x420h	250x450x400h	290x630x440h	360x320x770h

***OPTIONAL**

Per una costante ricerca d'innovazione e qualità tecnologica, Kosmologik Industries si riserva la facoltà di apportare modifiche ai propri prodotti senza preavviso.

As a result of a constant research for innovation and technological quality, Kosmologik Industries reserves the right to make modifications to its products without prior warning.

SCHEDA TECNICA/TECHNICAL DATA	H2OFFICE CLASSIC	H2OFFICE TOP	H2OFFICE CLASSIC HOT	H2OFFICE TOP HOT
POMPA ACQUA WATER PUMP POMPE POUR L'EAU WASSER PUMPE	NO	MEMBRANA/MEMBRANE	NO	MEMBRANA/MEMBRANE
SISTEMA DI GASATURA CARBONATION SYSTEM SYSTEME DE GASIFICATION SYSTEM MIT KARBONATOR	/	SATURATORE CARBONATOR CARBONATEUR KARBONATOR	/	SATURATORE CARBONATOR CARBONATEUR KARBONATOR
CAPACITA' ACQUA FREDDA/GAS COLD AND SPARKLING WATER CAPACITY DEBIT EAU FROIDE / PETILLANTE KAPAZITAET DES KALTES/CO2 WASSER	16 LT/H	16 LT/H	16 LT/H	16 LT/H
PRODUZIONE ACQUA FREDDA COLD WATER TECHNOLOGY TECHNOLOGIE POUR L'EAU FROIDE KALTES WASSER TECHNOLOGIE	SCAMBIO RAPIDO SERPENTINA RAPID EXCHANGE WITH SERPENTINE CHANGE RAPID AVEC SERPENTINE SPIRALKUEHLER	SCAMBIO RAPIDO SERPENTINA RAPID EXCHANGE WITH SERPENTINE CHANGE RAPID AVEC SERPENTINE SPIRAL KUEHLER	SCAMBIO RAPIDO SERPENTINA RAPID EXCHANGE WITH SERPENTINE CHANGE RAPID AVEC SERPENTINE SPIRAL KUEHLER	SCAMBIO RAPIDO SERPENTINA RAPID EXCHANGE WITH SERPENTINE CHANGE RAPID AVEC SERPENTINE SPIRAL KUEHLER
PESO NETTO NET WEIGHT POIDS NET NETTO GEWICHT	20,3 KG	23,1 KG	20,3 KG	24,4 KG
DIMENSIONI EROGATORE WATER DISPENSER DIMENSIONS DIMENSIONS DE LA FONTAINE WASSERSPENDER DIMENSIONEN	360X530X470h	360X530X470h	360X530X470h	360X530X470h

SCHEDA TECNICA/TECHNICAL DATA	CODEK CLASSIC	CODEK ULTRALIGHT	CODEK TOP	FONTANELLA
POMPA ACQUA WATER PUMP POMPE POUR L'EAU WASSER PUMPE	NO	NO	MEMBRANA/MEMBRANE	NO
SISTEMA DI GASATURA CARBONATION SYSTEM SYSTEME DE GASIFICATION SYSTEM MIT KARBONATOR	/	MISCELAZIONE Istantanea INSTANT MIX MELANGE IMMEDIAT INSTANT MIX	SATURATORE CARBONATOR CARBONATEUR KARBONATOR	/
CAPACITA' ACQUA FREDDA/GAS COLD AND SPARKLING WATER CAPACITY DEBIT EAU FROIDE / PETILLANTE KAPAZITAET DES KALTES/CO2 WASSER	16 LT/H	16 LT/H	16 LT/H	25 LT/H
PRODUZIONE ACQUA FREDDA COLD WATER TECHNOLOGY TECHNOLOGIE POUR L'EAU FROIDE KALTES WASSER TECHNOLOGIE	SCAMBIO RAPIDO SERPENTINA RAPID EXCHANGE WITH SERPENTINE CHANGE RAPID AVEC SERPENTINE SPIRAL KUEHLER	SCAMBIO RAPIDO SERPENTINA RAPID EXCHANGE WITH SERPENTINE CHANGE RAPID AVEC SERPENTINE SPIRAL KUEHLER	SCAMBIO RAPIDO SERPENTINA RAPID EXCHANGE WITH SERPENTINE CHANGE RAPID AVEC SERPENTINE SPIRAL KUEHLER	SCAMBIO RAPIDO SERPENTINA RAPID EXCHANGE WITH SERPENTINE CHANGE RAPID AVEC SERPENTINE SPIRAL KUEHLER
PESO NETTO NET WEIGHT POIDS NET NETTO GEWICHT	26,4 KG	26,4 KG	29,4 KG	33 KG
DIMENSIONI EROGATORE WATER DISPENSER DIMENSIONS DIMENSIONS DE LA FONTAINE WASSERSPENDER DIMENSIONEN	350x360x1140h	350x360x1140h	350x360x1140h	320x320x1060h

***OPTIONAL**

Per una costante ricerca d'innovazione e qualità tecnologica, Kosmologik Industries si riserva la facoltà di apportare modifiche ai propri prodotti senza preavviso.

As a result of a constant research for innovation and technological quality, Kosmologik Industries reserves the right to make modifications to its products without prior warning.

Kosmologik Industries srl
Water technology

Via Mondovì, 50 - 12073 Ceva (CN) Italia
Tel. +39 0174 704056 - Tel. +39 0174 704711- Fax +39 0174 704723
info@kosmologik.com - export@kosmologik.com
www.kosmologik.com